

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
10 May 2002 (10.05.2002)

PCT

(10) International Publication Number
WO 02/36143 A1

(51) International Patent Classification⁷: **A61K 38/08**,
38/32, 39/395, C07K 7/06, 14/66

(21) International Application Number: PCT/US01/42900

(22) International Filing Date:
2 November 2001 (02.11.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/244,901 2 November 2000 (02.11.2000) US

(71) Applicant (for all designated States except US): **REGEN-
ERX BIOPHARMACEUTICALS, INC.** [US/US]; 3
Bethesda Metro Center, Bethesda, MD 20817 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **GOLDSTEIN, Allan,**
L. [US/US]; 800 25th Street, N.W., Apt. 1005, Washing-
ton, DC 20037 (US).

(74) Agents: **REPPER, George, R.** et al.; Rothwell, Figg,
Ernst & Manbeck, P.C., Suite 800, 1425 K Street, N.W.,
Washington, D.C. 20005 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG,
SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN,
YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD,
TG).

Published:

— with international search report

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

WO 02/36143 A1

(54) Title: INHIBITION OR REVERSAL OF SKIN AGING BY ACTIN-SEQUESTERING PEPTIDES

(57) Abstract: Skin degradation associated with skin-aging is inhibited or reversed by administration of an actin-sequestering pep-
tide such as Thymosin β 4, an isoform of Thymosin β 4 or oxidized Thymosin β 4.

INHIBITION OR REVERSAL OF SKIN AGING BY ACTIN-SEQUESTERING PEPTIDES

BACKGROUND OF THE INVENTION

Cross-Reference to Related Application

The present application claims the benefit of U.S. Provisional Application Serial No. 60/244,901, filed November 2, 2000.

5 Field of the Invention

The present invention relates to the field of inhibiting or reversing skin aging.

DESCRIPTION OF THE BACKGROUND ART

10 The phenomenon called skin "aging" may occur not only with advancing age, but due to other degenerative changes and environmental factors. Skin aging results from deleterious changes in the physiological, biochemical and immunological properties of the skin. Such changes include thinning of the skin, loss of elasticity, alteration in polymerized actin ratios and turnover of polymerized actin, decrease in collagen and other matrix proteins, changes in vasculature which decrease capacity to repair DNA damage, increased propensity for skin cancers such as squamous cell carcinoma, and increased risk of
15 infection.

Numerous pharmaceutical, nutraceutical or cosmeceutical formulations have been proposed to reduce or reverse skin aging or the appearance of skin aging. In addition, chemical peels, phototherapies and various forms of plastic surgery have been proposed.

20 There remains a need in the art for improved methods and compositions for inhibiting or reversing skin aging.

SUMMARY OF THE INVENTION

25 In accordance with the present invention, a method of treatment for promoting reversal of or inhibiting skin degeneration associated with skin aging involves administration to a subject or patient in need of such treatment an effective amount of a composition comprising a skin degeneration-inhibiting polypeptide comprising amino acid sequence LKKTET or a conservative variant thereof having skin degeneration-inhibiting activity.

DETAILED DESCRIPTION OF THE INVENTION

The present invention is based on a discovery that actin-sequestering peptides such as thymosin $\beta 4$ (T $\beta 4$) and other actin-sequestering peptides containing amino acid sequence LKKTET or conservative variants thereof, promote reversal of or inhibit skin degeneration associated with skin aging.

Thymosin $\beta 4$ was initially identified as a protein that is up regulated during endothelial cell migration and differentiation *in vitro*. Thymosin $\beta 4$ was originally isolated from the thymus and is a 43 amino acid, 4.9 kDa ubiquitous polypeptide identified in a variety of tissues. Several roles have been ascribed to this protein including a role in a endothelial cell differentiation and migration, T cell differentiation, actin sequestration and vascularization.

In accordance with one embodiment, the invention is a method of treatment for promoting reversal of or inhibiting skin degradation associated with skin aging comprising administering to a subject in need of such treatment an effective amount of a composition comprising an agent that stimulates production of a skin degeneration-inhibiting polypeptide comprising amino acid sequence LKKTET, or a conservative variant thereof having skin degeneration-inhibiting activity, preferably Thymosin $\beta 4$, an isoform of Thymosin $\beta 4$, oxidized Thymosin $\beta 4$ or an antagonist of Thymosin $\beta 4$.

The present invention promotes skin condition improvements selected from the group consisting of an increase in skin elasticity, size reduction of an area of age-related skin darkening (age spots), lightening of an area of age-related skin darkening, and combinations thereof.

Compositions which may be used in accordance with the present invention include Thymosin $\beta 4$ (T $\beta 4$), T $\beta 4$ isoforms, oxidized T $\beta 4$, polypeptides comprising the amino acid sequence LKKTET or conservative variants thereof having skin degeneration-inhibiting activity. International Application Serial No. PCT/US99/17282, incorporated herein by reference, discloses isoforms of T $\beta 4$ which may be useful in accordance with the present invention as well as amino acid sequence LKKTET and conservative variants thereof having skin degeneration-inhibiting activity, which may be utilized with the present invention. International Application Serial No. PCT/GB99/00833 (WO 99/49883), incorporated herein by reference, discloses oxidized Thymosin $\beta 4$ which may be utilized in accordance with the present invention. Although the present invention is described primarily hereinafter with respect to T $\beta 4$ and T $\beta 4$ isoforms, it is to be understood that the following description is intended to be equally applicable to amino acid sequence LKKTET, conservative variants thereof having skin degeneration-inhibiting activity, as well as oxidized Thymosin $\beta 4$.

In one embodiment, the invention provides a method for inhibiting or reversing aging of skin in a subject by contacting the skin with a skin degeneration-inhibiting effective amount

of a composition which contains T β 4 or a T β 4 isoform. The contacting may be topically or systemically. Examples of topical administration include, for example, contacting the skin with a lotion, salve, gel, cream, paste, spray, suspension, dispersion, hydrogel, ointment, or oil comprising T β 4. Systemic administration includes, for example, intravenous,
5 intraperitoneal, intramuscular injections of a composition containing T β 4 or a T β 4 isoform. A subject may be any mammal, preferably human.

A composition in accordance with the present invention can be administered daily, every other day, etc., with a single application or multiple applications per day of administration, such as applications 2, 3, 4 or more times per day of administration.

10 T β 4 isoforms have been identified and have about 70%, or about 75%, or about 80% or more homology to the known amino acid sequence of T β 4. Such isoforms include, for example, t β 4^{ala}, T β 9, T β 10, T β 11, T β 12, T β 13, T β 14 and T β 15. Similar to T β 4, the T β 10 and T β 15 isoforms have been shown to sequester actin. T β 4, T β 10 and T β 15, as well as these other isoforms share an amino acid sequence, LKKTET, that appears to be involved in
15 mediating actin sequestration or binding. Although not wishing to be bound to any particular theory, the activity of T β 4 isoforms may be due, in part, to the ability to polymerize actin. For example, T β 4 can modulate actin polymerization in skin (e.g. β -thymosins appear to depolymerize F-actin by sequestering free G-actin). T β 4's ability to modulate actin polymerization may therefore be due to all, or in part, its ability to bind to or sequester actin
20 via the LKKTET sequence. Thus, as with T β 4, other proteins which bind or sequester actin, or modulate actin polymerization, including T β 4 isoforms having the amino acid sequence LKKTET, are likely to reduce skin aging, alone or in a combination with T β 4, as set forth herein.

Thus, it is specifically contemplated that known T β 4 isoforms, such as T β 4^{ala}, T β 9,
25 T β 10, T β 11, T β 12, T β 13, T β 14 and T β 15, as well as T β 4 isoforms not yet identified, will be useful in the methods of the invention. As such T β 4 isoforms are useful in the methods of the invention, including the methods practiced in a subject. The invention therefore further provides pharmaceutical compositions comprising T β 4, as well as T β 4 isoforms T β 4^{ala}, T β 9, T β 10, T β 11, T β 12, T β 13, T β 14 and T β 15, and a pharmaceutically acceptable carrier.

30 In addition, other proteins having actin sequestering or binding capability, or that can mobilize actin or modulate actin polymerization, as demonstrated in an appropriate sequestering, binding, mobilization or polymerization assay, or identified by the presence of an amino acid sequence that mediates actin binding, such as LKKTET, for example, can similarly be employed in the methods of the invention. Such proteins include gelsolin,
35 vitamin D binding protein (DBP), profilin, cofilin, depactin, DnaseI, vilin, fragmin, severin, capping protein, β -actinin and acumentin, for example. As such methods include those

practiced in a subject, the invention further provides pharmaceutical compositions comprising gelsolin, vitamin D binding protein (DBP), profilin, cofilin, depactin, DnaseI, vilin, fragmin, severin, capping protein, β -actinin and acumentin as set forth herein. Thus, the invention includes the use of a skin aging reducing polypeptide comprising the amino acid sequence LKKTET and conservative variants thereof.

As used herein, the term "conservative variant" or grammatical variations thereof denotes the replacement of an amino acid residue by another, biologically similar residue. Examples of conservative variations include the replacement of a hydrophobic residue such as isoleucine, valine, leucine or methionine for another, the replacement of a polar residue for another, such as the substitution of arginine for lysine, glutamic for aspartic acids, or glutamine for asparagine, and the like.

T β 4 has been localized to a number of tissue and cell types and thus, agents which stimulate the production of T β 4 can be added to or comprise a composition to effect T β 4 production from a tissue and/or a cell. Such agents include members of the family of growth factors, such as insulin-like growth factor (IGF-1), platelet derived growth factor (PDGF), epidermal growth factor (EGF), transforming growth factor beta (TGF- β), basic fibroblast growth factor (bFGF), thymosin α 1 (T α 1) and vascular endothelial growth factor (VEGF). More preferably, the agent is transforming growth factor beta (TGF- β) or other members of the TGF- β superfamily. T β 4 compositions of the invention may reduce skin aging by effectuating growth of the connective tissue through extracellular matrix deposition, cellular migration and vascularization of the skin.

Additionally, agents that assist or stimulate skin aging reduction may be added to a composition along with T β 4 or a T β 4 isoform. Such agents include angiogenic agents, growth factors, agents that direct differentiation of cells, agents that promote migration of cells and agents that stimulate the provision of extracellular matrix material in the skin. For example, and not by way of limitation, T β 4 or a T β 4 isoform alone or in combination can be added in combination with any one or more of the following agents: VEGF, KGF, FGF, PDGF, TGF β , IGF-1, IGF-2, IL-1, prothymosin α and thymosin α 1 in an effective amount.

The invention also includes a pharmaceutical composition comprising a therapeutically effective amount of T β 4 or a T β 4 isoform in a pharmaceutically acceptable carrier. Such carriers include those listed above with reference to parenteral administration.

The actual dosage or reagent, formulation or composition that inhibits or promotes reversal of skin aging may depend on many factors, including the size and health of a subject. However, persons of ordinary skill in the art can use teachings describing the methods and techniques for determining clinical dosages as disclosed in PCT/US99/17282,

supra, and the references cited therein, to determine the appropriate dosage to use.

Suitable topical formulations include T β 4 or a T β 4 isoform at a concentration within the range of about 0.001 - 10% by weight, more preferably within the range of about 0.01 - 0.1% by weight, most preferably about 0.05% by weight.

5 The therapeutic approaches described herein involve various routes of administration or delivery of reagents or compositions comprising the T β 4 or other compounds of the invention, including any conventional administration techniques (for example, but not limited to, topical administration, local injection, inhalation, or systemic administration), to a subject. The methods and compositions using or containing T β 4 or other compounds of the invention
10 may be formulated into pharmaceutical compositions by admixture with pharmaceutically acceptable non-toxic excipients or carriers.

 The invention includes use of antibodies which interact with T β 4 peptide or functional fragments thereof. Antibodies which consists essentially of pooled monoclonal antibodies with different epitopic specificities, as well as distinct monoclonal antibody preparations are
15 provided. Monoclonal antibodies are made from antigen containing fragments of the protein by methods well known to those skilled in the art as disclosed in PCT/US99/17282, *supra*. The term antibody as used in this invention is meant to include monoclonal and polyclonal antibodies.

 In yet another embodiment, the invention provides a method of treating a subject by
20 administering an effective amount of an agent which modulates T β 4 gene expression. The term "modulate" refers to inhibition or suppression of T β 4 expression when T β 4 is over expressed, and induction of expression when T β 4 is under expressed. The term "effective amount" means that amount of T β 4 agent which is effective in modulating T β 4 gene
25 expression resulting in reducing the symptoms of the T β 4 associated skin aging. An agent which modulates T β 4 or T β 4 isoform gene expression may be a polynucleotide for example. The polynucleotide may be an antisense, a triplex agent, or a ribozyme. For example, an antisense directed to the structural gene region or to the promoter region of T β 4 may be utilized.

 In another embodiment, the invention provides a method for utilizing compounds that
30 modulate T β 4 activity. Compounds that affect T β 4 activity (e.g., antagonists and agonists) include peptides, peptidomimetics, polypeptides, chemical compounds, minerals such as zincs, and biological agents.

 While not be bound to any particular theory, it is believed that the present invention may promote reversal of or inhibit skin degeneration associated with skin aging by inducing
35 terminal deoxynucleotidyl transferase (a non-template directed DNA polymerase), to decrease the levels of one or more inflammatory cytokines, and to act as a chemotactic

factor for endothelial cells, and thereby inhibit or promote reversal of degenerative changes in skin brought about by aging or other degenerative or environmental factors.

The invention is further illustrated by the following non-limiting example.

Example 1

5 A 0.05% by weight Thymosin β 4 formulation was prepared, *i.e.*, 50 mg Thymosin β 4 per 100 gm gel, by first dissolving Thymosin β 4 in water and thoroughly mixing the preparation in a standard pharmaceutical grade gel formulation. A volunteer with a dark 1 cm age spot on the dorsal region of the hand below the middle knuckle was treated. The 0.05% by weight Thymosin β 4 gel was applied to a 5 x 5 cm region encompassing the age spot, twice daily for 28 days. Within seven days the age spot began to fade and within 14 days, the age spot began to noticeably decrease in size. At the end of the 28 day period, the age spot had faded significantly and the diameter of the spot decreased by over 50%. Additionally, the skin in the treated area became smoother and appeared to have increased elasticity. The volunteer was subsequently observed for four weeks, and the changes observed during treatment persisted.

CLAIMS

- 5 1. A method of treatment for promoting reversal of or inhibiting skin degeneration associated with skin aging, comprising administering to a subject in need of such treatment an effective amount of a composition comprising a skin degeneration-inhibiting polypeptide comprising amino acid sequence LKKTET, or a conservative variant thereof having skin degeneration-inhibiting activity.
2. The method of claim 1 wherein said polypeptide promotes a skin condition improvement selected from the group consisting of an increase in skin elasticity, size reduction of an area of age-related skin darkening, lightening of an area of age-related skin darkening, and combinations thereof.
3. The method of claim 1 wherein said polypeptide comprises Thymosin β 4 (T β 4), an isoform of T β 4 or oxidized T β 4.
4. The method of claim 1 wherein said composition is administered systemically.
5. The method of claim 1 wherein said composition is administered topically.
6. The method of claim 5 wherein said composition is in the form of a gel, creme, paste, lotion, spray, suspension, dispersion, salve, hydrogel or ointment formulation.
7. The method of claim 1 wherein said polypeptide is recombinant or synthetic.
8. The method of claim 1 wherein said polypeptide is an antibody.
9. The method of claim 8 wherein said antibody is polyclonal or monoclonal.
- 5 10. A method of treatment for promoting reversal of or inhibiting skin degeneration associated with skin aging comprising administering to a subject in need of such treatment an effective amount of a composition comprising an agent that stimulates production of a skin degeneration-inhibiting polypeptide comprising amino acid sequence LKKTET, or a conservative variant thereof having skin degeneration-inhibiting activity.
11. The method of claim 10 wherein said polypeptide is Thymosin β 4.

12. The method of claim 10 wherein said agent is an antagonist of Thymosin β 4.
13. A composition for use in promoting reversal of or inhibiting skin degeneration associated with skin aging comprising an effective amount of a composition including a skin degeneration-inhibiting polypeptide comprising amino acid sequence LKKTET or a conservative variant thereof having skin degeneration-inhibiting activity.
14. The composition of claim 13 wherein said polypeptide comprises T β 4, an isoform of T β 4 or oxidized T β 4.
15. The composition of claim 13, comprising a gel, creme, paste, lotion, spray, suspension, dispersion salve, hydrogel or ointment formulation.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US01/42900

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : A61K 38/08, 38/32, 39/395; C07K 7/06, 14/66

US CL : 514/2; 424/130.1; 530/320, 329, 399

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 514/2; 424/130.1; 530/320, 329, 399

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WEST 2.0, MEDICINE, BIOTECH (compendium databases on DIALOG) search terms: author names, lktet, thymosin beta4, theta4, skin, age, aging, antibod?

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 00/06190 A1 (THE GOVERNMENT OF THE UNITED STATES OF AMERICA) 10 February 2000, see entire document.	1-15

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"B" earlier document published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"Z" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

17 JANUARY 2002

Date of mailing of the international search report

06 FEB 2002

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

ROM SCHWADRON

Telephone No. (703) 308-0196

Form PCT/ISA/210 (second sheet) (July 1998)*